

Town of Sunnyvale

WATER QUALITY REPORT



2019



2019 Consumer Confidence Report

Information about Source Water

The Town of Sunnyvale purchases water from North Texas Municipal Water District Wylie Water Treatment Plant. NTMWD provides purchase surface water from Lake Lavon located in Wylie, Texas.

TCEQ completed a Source Water Susceptibility for all drinking water systems that own their sources. This report describes the susceptibility and types of constituents that may come into contact with the drinking water source based on human activities and natural conditions. The system(s) from which we purchase our water received the assessment report. For more information on source water assessments and protection efforts at our system, contact [Bryan Creed at 972-226-7177](tel:972-226-7177).



This report is intended to provide you with important information about your drinking water and the efforts made by the water system to provide safe drinking water.

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally-occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity.

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the EPA's Safe Drinking Water Hotline at 800-426-4791.

Contaminants that may be present in source water include:

- Microbial contaminants, such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.
- Inorganic contaminants, such as salts and metals, which can be naturally-occurring or result from urban storm water runoff, industrial or domestic wastewater discharges, oil and gas production, mining, or farming.

- Pesticides and herbicides, which may come from a variety of sources such as agriculture, urban storm water runoff, and residential uses.
- Organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations, urban storm water runoff, and septic systems.
- Radioactive contaminants, which can be naturally-occurring or be the result of oil and gas production and mining activities.

In order to ensure that tap water is safe to drink, EPA prescribes regulations which limit the amount of certain contaminants in water provided by public water systems. FDA regulations establish limits for contaminants in bottled water which must provide the same protection for public health.

Contaminants may be found in drinking water that may cause taste, color, or odor problems. These types of problems are not necessarily causes for health concerns. For more information on taste, odor, or color of drinking water, please contact the system's business office.

You may be more vulnerable than the general population to certain microbial contaminants, such as *Cryptosporidium*, in drinking water. Infants, some elderly, or immunocompromised persons such as those undergoing chemotherapy for cancer; persons who have undergone organ transplants; those who are undergoing treatment with steroids; and people with HIV/AIDS or other immune system disorders, can be particularly at risk from infections. You should seek advice about drinking water from your physician or health care providers. Additional guidelines on appropriate means to lessen the risk of infection by *Cryptosporidium* are available from the Safe Drinking Water Hotline (800-426-4791).

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. We are responsible for providing high quality drinking water, but we cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at <http://www.epa.gov/safewater/lead>.

Lead and Copper	Date Sampled	MCLG	Action Level (AL)	90th Percentile	# Sites Over AL	Units	Violation	Likely Source of Contamination
-----------------	--------------	------	-------------------	-----------------	-----------------	-------	-----------	--------------------------------

Copper	2019	1.3	1.3	0.8048	0	ppm	N	Erosion of natural deposits; Leaching from wood preservatives; Corrosion of household plumbing systems.
---------------	------	-----	-----	--------	---	-----	---	---

Lead	2019	0	15	0.978	0	ppb	N	Corrosion of household plumbing systems; Erosion of natural deposits.
-------------	------	---	----	-------	---	-----	---	---

For more information regarding this report, contact Bryan Creed, at 972-226-7177.

PUBLIC PARTICIPATION

JULY 27, 2020, 7 P.M.

SUNNYVALE TOWN HALL

127 N. COLLINS RD.

SUNNYVALE, TX 75182

PHONE: (972) 226-7177

EN ESPAÑOL ESTE REPORTE INCLUYE INFORMACIÓN IMPORTANTE SOBRE EL AGUA POTABLE. SI TIENE PREGUNTAS O DISCUSIONES SOBRE ÉSTE REPORTE EN ESPAÑOL, FAVOR DE LLAMAR AL TEL. 972-226-7177 PARA HABLAR CON UNA PERSONA BILINGUE EN ESPAÑOL.

Water Quality Test Results

Sunnyvale

Disinfection By-Products	Collection Date	Highest Level Detected	Range of Individual Samples	MCLG	MCL	Units	Violation	Likely Source of Contamination
Haloacetic Acids (HAA5)	2019	23	12.4 - 24.6	No goal for the total	60	ppb	N	By-product of drinking water disinfection.

* The value in the Highest Level or Average Detected column is the highest average of all HAA5 sample results collected at a location over a year'

Total Trihalomethanes (TTHM)	2019	36	23.6 - 40.3	No goal for the total	80	ppb	N	By-product of drinking water disinfection.
-------------------------------------	------	----	-------------	-----------------------	----	-----	---	--

* The value in the Highest Level or Average Detected column is the highest average of all TTHM sample results collected at a location over a year'

Inorganic Contaminants	Collection Date	Highest Level Detected	Range of Individual Samples	MCLG	MCL	Units	Violation	Likely Source of Contamination
-------------------------------	------------------------	-------------------------------	------------------------------------	-------------	------------	--------------	------------------	---------------------------------------

Nitrate [measured as Nitrogen]	2019	1	0.734 - 0.734	10	10	ppm	N	Runoff from fertilizer use; Leaching from septic tanks, sewage; Erosion of natural deposits.
---------------------------------------	------	---	---------------	----	----	-----	---	--

Disinfectant Residual

Disinfectant Residual	Year	Average Level	Range of Levels Detected	MRDL	MRDLG	Unit of Measure	Violation (Y/N)	Source in Drinking Water
------------------------------	-------------	----------------------	---------------------------------	-------------	--------------	------------------------	------------------------	---------------------------------

	2019	1.50	0.51 -3.11	4	4	Mg/L	ppm	Water additive used to control microbes.
--	------	------	------------	---	---	------	-----	--

Water Quality Test Results

NTMWD WYLIE PLANT

Inorganic Contaminants	Collection Date	Highest Level Detected	Range of Individual Samples	MCLG	MCL	Units	Violation	Likely Source of Contamination
-------------------------------	------------------------	-------------------------------	------------------------------------	-------------	------------	--------------	------------------	---------------------------------------

Barium	2019	0.044	0.043 - 0.044	2	2	ppm	N	Discharge of drilling wastes; Discharge from metal refineries; Erosion of natural deposits.
---------------	------	-------	---------------	---	---	-----	---	---

Cyanide	2019	88.3	50.3 - 88.3	200	200	ppb	N	Discharge from plastic and fertilizer factories; Discharge from steel/metal factories.
----------------	------	------	-------------	-----	-----	-----	---	--

Fluoride	2019	0.2	0.215 - 0.23	4	4.0	ppm	N	Erosion of natural deposits; Water additive which promotes strong teeth; Discharge from fertilizer and aluminum factories.
-----------------	------	-----	--------------	---	-----	-----	---	--

Nitrate [measured as Nitrogen]	2019	1	0.0831 - 0.772	10	10	ppm	N	Runoff from fertilizer use; Leaching from septic tanks, sewage; Erosion of natural deposits.
---------------------------------------	------	---	----------------	----	----	-----	---	--

Radioactive Contaminants	Collection Date	Highest Level Detected	Range of Individual Samples	MCLG	MCL	Units	Violation	Likely Source of Contamination
---------------------------------	------------------------	-------------------------------	------------------------------------	-------------	------------	--------------	------------------	---------------------------------------

Beta/photon emitters	09/17/2018	8	8 - 8	0	50	pCi/L*	N	Decay of natural and man-made deposits.
-----------------------------	------------	---	-------	---	----	--------	---	---

Synthetic organic contaminants including pesticides and herbicides	Collection Date	Highest Level Detected	Range of Individual Samples	MCLG	MCL	Units	Violation	Likely Source of Contamination
---	------------------------	-------------------------------	------------------------------------	-------------	------------	--------------	------------------	---------------------------------------

Atrazine	2019	0.2	0.1 - 0.2	3	3	ppb	N	Runoff from herbicide used on row crops.
-----------------	------	-----	-----------	---	---	-----	---	--

Simazine	2019	0.33	0 - 0.33	4	4	ppb	N	Herbicide runoff.
-----------------	------	------	----------	---	---	-----	---	-------------------

	Level Detected	Limit (Treatment Technique)	Violation	Likely Source of Contamination
Highest single measurement	0.97 NTU	1 NTU	N	Soil runoff.
Lowest monthly % meeting limit	96%	0.3 NTU	N	Soil runoff.

Water Quality Test Results

NTMWD TAWAKONI PLANT

Inorganic Contaminants	Collection Date	Highest Level Detected	Range of Individual Samples	MCLG	MCL	Units	Violation	Likely Source of Contamination
------------------------	-----------------	------------------------	-----------------------------	------	-----	-------	-----------	--------------------------------

Barium	2019	0.043	0.043 - 0.043	2	2	ppm	N	Discharge of drilling wastes; Discharge from metal refineries; Erosion of natural deposits.
---------------	------	-------	---------------	---	---	-----	---	---

Fluoride	2019	0.5	0.486 - 0.486	4	4.0	ppm	N	Erosion of natural deposits; Water additive which promotes strong teeth; Discharge from fertilizer and aluminum factories.
-----------------	------	-----	---------------	---	-----	-----	---	--

Nitrate [measured as Nitrogen]	2019	0.428	0.428 - 0.428	10	10	ppm	N	Runoff from fertilizer use; Leaching from septic tanks, sewage; Erosion of natural deposits.
---------------------------------------	------	-------	---------------	----	----	-----	---	--

Nitrite [measured as Nitrogen]	11/29/2018	0.234	0.234 - 0.234	1	1	ppm	N	Runoff from fertilizer use; Leaching from septic tanks, sewage; Erosion of natural deposits.
---------------------------------------	------------	-------	---------------	---	---	-----	---	--

Synthetic organic contaminants including pesticides and herbicides	Collection Date	Highest Level Detected	Range of Individual Samples	MCLG	MCL	Units	Violation	Likely Source of Contamination
--	-----------------	------------------------	-----------------------------	------	-----	-------	-----------	--------------------------------

Atrazine	06/13/2018	0.2	0.2 - 0.2	3	3	ppb	N	Runoff from herbicide used on row crops.
----------	------------	-----	-----------	---	---	-----	---	--

	Level Detected	Limit (Treatment Technique)	Violation	Likely Source of Contamination
Highest single measurement	0.14 NTU	1 NTU	N	Soil runoff.

Definitions and Abbreviations

The following tables contain scientific terms and measures, some of which may require explanation.

Action Level: The concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Action Level Goal (ALG): The level of a contaminant in drinking water below which there is no known or expected risk to health. ALGs allow for a margin of safety.

Avg: Regulatory compliance with some MCLs are based on running annual average of monthly samples.

Level 1 Assessment: A Level 1 assessment is a study of the water system to identify potential problems and determine (if possible) why total coliform bacteria have been found in our water system.

Level 2 Assessment: A Level 2 assessment is a very detailed study of the water system to identify potential problems and determine (if possible) why an E. coli

MCL violation has occurred and/or why total coliform bacteria have been found in our water system on multiple occasions.

Maximum Contaminant Level or MCL: The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal or MCLG: The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Maximum residual disinfectant level or MRDL: The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

Maximum residual disinfectant level goal or MRDLG: The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

MFL million fibers per liter (a measure of asbestos)

mrem: millirems per year (a measure of radiation absorbed by the body)

na: not applicable.

NTU: nephelometric turbidity units (a measure of turbidity)

pCi/L: picocuries per liter (a measure of radioactivity)

ppb: micrograms per liter or parts per billion - or one ounce in 7,350,000 gallons of water.

ppm: milligrams per liter or parts per million - or one ounce in 7,350 gallons of water.

Ppq: parts per quadrillion, or picograms per liter (pg/L)

Ppt: parts per trillion, or nanograms per liter (ng/L)

Treatment Technique or TT: A required process intended to reduce the level of a contaminant in drinking water.